

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: BRIDGEWAY ACADEMY, LLC	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 5/27/2026
Facility Address: 825 SHELTON BEACH ROAD,, SARALAND, AL 36571, Mobile	Licensee: BRIDGEWAY ACADEMY, LLC	Telephone #: (251) 345-4444
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 59 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
CORRECTED DEFICIENCIES VERIFIED THROUGH ARISE.	
Failed - Medical, Staff Checklist Comments: 5/27/26 Incomplete-Missing signature from medical doctor, physician's assistant, or certified nurse practitioner and date.	6/15/2026
Failed - Verification of Education, Staff Checklist Comments: 5/27/26 Missing documentation	6/15/2026
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: 5/27/26 Missing documentation	6/15/2026
Failed - Health and Safety Training, Staff Checklist Comments: 5/27/26 Missing documentation	6/15/2026
Failed - Ongoing Training, Staff Checklist Comments: 5/27/26- Missing documentation	6/15/2026
Failed - Preadmission Form, Child Checklist Comments: 5/27/26 Incomplete	6/2/2026


INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

LaDanika York



Date

06/15/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____ Facility _____