

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: TOTAL RESTORATION MINISTRIES	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/5/2026
Facility Address: 301 BROADWAY ST., DOTHAN, AL 36303, Houston	Licensee: TOTAL RESTORATION MINISTRIES	Telephone #: (334) 983-1177
Ages: 6 Weeks to 12 Years	Director (if applicable): MARIEA FRANKLIN	Capacity: 56 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Compliance made through documentation submitted in ARISE	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form	6/5/2026
Comments: All staff are not registered in Alabama pathway registry.	
Failed - Most recent Health department inspection report and food permit or written permission for catering food, Inspection Form	6/5/2026
Comments: Food permit is expired.	
Failed - Ongoing Training, Staff Checklist	6/5/2026
Comments: There is no verification of ongoing training.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Critters	6/15/2026
Comments: The changing table, cubbies shelf and orange wall shelf are not anchored.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Cuties	6/15/2026
Comments: Changing table is not anchored.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before Compliance, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

JAY DALTON

Date

6/15/26

Date

Signature of DHR Licensing Representative

COPIES TO: Mariea Franklin-Smith