

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: KLA SCHOOLS OF HUNTSVILLE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/16/2026
Facility Address: 1699 OLD DRY CREEK RD, HUNTSVILLE, AL 35806, Madison	Licensee: KLA HUNTSVILLE, LLC	Telephone #: (256) 837-5266
Ages: 6 Weeks to 5 Years	Director (if applicable): BRANDI SMITH	Capacity: 119 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
CHARACTER AND SUITABILITY, Allegation Comments: The staff person is working at the facility with an indicated CA/N.	Pending Correction
On 6/16/26, the three (3)-year old classroom was out of ratio. , Ad Hoc Comments: NA	Pending Correction
On 6/16/26, staff files were incomplete. , Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 6/30/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards

