

**6/3ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: NEW HOPE CHRISTIAN PRESCHOOL	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/16/2026
Facility Address: 1212 17TH WAY SW, BIRMINGHAM, AL 35211, Jefferson	Licensee: NEW HOPE BAPTIST CHURCH	Telephone #: (205) 923-6221
Ages: 6 Weeks to 5 Years	Director (if applicable): Dr. Martha S. Barber	Capacity: 64 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Verification of Education, Staff Checklist Comments: not in Pathways	Pending Correction <i>7/8/2026 MAB</i>
Failed - Verification of Education, Staff Checklist Comments: not upload in pathways	Pending Correction <i>7/8/2026 MAB</i>
Failed - Ongoing Training, Staff Checklist Comments: not in pathways	Pending Correction <i>7/8/2026 MAB</i>
Failed - Health and Safety Training, Staff Checklist Comments: not in pathways	Pending Correction <i>7/8/2026 MAB</i>
Failed - Ongoing Training, Staff Checklist Comments: not in pathways	Pending Correction <i>7/8/2026 MAB</i>
Failed - Health and Safety Training, Staff Checklist Comments: not in pathways	Pending Correction <i>7/8/2026 MAB</i>

Failed - Ongoing Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Health and Safety Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Ongoing Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Health and Safety Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Ongoing Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Health and Safety Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Ongoing Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Health and Safety Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Application, Staff Checklist Comments: not in file	Pending Correction 7/8/2026 MAB
Failed - Photo ID Verification, Staff Checklist Comments: not in file	Pending Correction 7/8/2026 MAB
Failed - TB Test Date and Results, Staff Checklist Comments: not in file	Pending Correction 7/9/2026 MAB
Failed - Verification of Education, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB
Failed - Written Verification of Standards Read, Staff Checklist Comments: not in file	Pending Correction 7/9/2026 MAB
Failed - Ongoing Training, Staff Checklist Comments: not in pathways	Pending Correction 7/8/2026 MAB

Failed - Health and Safety Training, Staff Checklist
Comments: not in pathways

Pending Correction

7/8/2026 MAB

Failed - Ongoing Training, Staff Checklist
Comments: not in pathways

Pending Correction

7/8/2026 MAB

Failed - Health and Safety Training, Staff Checklist
Comments: not in pathways

Pending Correction

7/8/2026 MAB

Note: Mrs. Carnella Jarmon was listed on the deficiency list. Mrs. Jarmon is not an employee. She is the Board President.

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 6/30/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Martha J. Barker
Signature of Facility Representative

7/8/2026
Date

JOY FRAZIER

Signature of DHR Licensing Representative

6/16/26
Date

COPIES TO: director