

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LULLABIES AND LAUGHTER CDC, LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/23/2026
Facility Address: 860 REDMONT DRIVE, TUSCALOOSA, AL 35404, Tuscaloosa	Licensee: KANESA WITHERSPOON	Telephone #: (205) 722-2478
Ages: 0 Weeks to 12 Years	Director (if applicable): KANESA WITHERSPOON	Capacity: 40 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Two feet between occupied cribs, Inspection Form Comments: incomplete	Pending Correction <i>KW</i> 6/23/26
Failed - Soft material prohibited in infant's sleeping environment, no pillows, quilts, comforters, etc., Inspection Form Comments: incomplete	Pending Correction <i>KW</i> 6/23/26
Failed - Cots positioned to allow space for access or emergency exit, Inspection Form Comments: incomplete	Pending Correction <i>KW</i> 6/23/26
Failed - Any illness/injury of child or staff requiring professional medical treatment, Inspection Form Comments: incomplete	Pending Correction <i>KW</i> 6/23/26
Failed - Any incident in which the health, welfare, or safety of a child is at risk, Inspection Form Comments: incomplete	Pending Correction <i>KW</i> 6/23/26
The center did not notify a parent of an incident in with the health, safety, and welfare of a child was at risk., Ad Hoc Comments: NA	Pending Correction <i>KW</i> 6/23/26

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Kumar MAAA
Signature of Facility Representative

6/23/2026
Date

BRANDUL PERINE

Signature of DHR Licensing Representative

Date

COPIES TO: _____