

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: JAZZY'S PLACE	Type of Facility : Center [] Day [X] OST [] Night [X] Family [X] University [] Group []	Date of Visit: 6/24/2026
Facility Address: 308 BREAMWOOD AVENUE, MOBILE, AL 36604, Mobile	Licensee: JASMINE JOHNSON	Telephone #: (251) 442-1034
Ages: 3 Weeks to 14 Years/3 Weeks to 14 Years	Director (if applicable):	Capacity: 5 / 5 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: On 5/15/26 swing set seat has sharp edges and cracked seats.	6/9/2026
Failed - Fence at least 4 feet in height free from sharp protruding edges (except where prohibited by federal law), Inspection Form Comments: On 5/15/26, observed heavy growth on fence.	6/9/2026
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: On 5/15/26, some staff is missing required Infant-Child CPR & 1st Certification in Alabama Pathways Professional Development Registry.	6/9/2026
Failed - Infant -Child CPR Certification, Staff Checklist Comments: On 5/15/26, licensee's Infant -Child CPR Certification is not uploaded in Alabama Pathways.	5/17/2026
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: On 5/15/26, licensee's Infant -Child 1st Aid Certification is not uploaded in Alabama Pathways.	5/17/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: On, 5/15/26, Licensee's Suitability Letter is expired.	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: On 5/15/26, substitute's Infant -Child CPR Certification is not uploaded in Alabama Pathways.	5/17/2026

Failed - Infant -Child First Aid Certificate, Staff Checklist
Comments: On 5/15/26, licensee's Infant -Child 1st Aid
Certification is not uploaded in Alabama Pathways.

5/17/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

Jun 25, 2026

Date

DEBORAH LANG-DIXON

Signature of DHR Licensing Representative

Date

COPIES TO: _____