

Plan of Correction

SECTION A - IDENTIFYING INFORMATION

Facility Name: BEULAH BAPTIST CHURCH	Type of Facility: Center <input checked="" type="checkbox"/> OST <input type="checkbox"/> Day <input checked="" type="checkbox"/> Night <input type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Group <input type="checkbox"/>
Physical Address: 1022-2ND AVE N BESSEMER, AL 35020	Mailing Address: 1022-2ND AVE N BESSEMER, AL, 35020
Telephone Number: (205) 424-0861	Licensee: BEULAH BAPTIST CHURCH
Capacity: 38	Director: FANNIE WRIGHT
Age Range: 12 Months to 11 Years	Date Prepared: 5/21/2026

SECTION B - BASIS FOR PLAN OF CORRECTION

List each deficiency, the plan of action, and the target date for each item:

Deficiency Plan of Correction	Date to be completed
Failed - Ongoing Training, Staff Checklist Plan of Action - Have staff to complete ongoing training	5/26/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - Have staff to complete ongoing training	5/26/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - Have staff complete ongoing training	5/25/2026
There are 4 volunteers present/working at the center without Suitability Letters in the files., Ad Hoc Plan of Action - Have the volunteers to complete background checks	5/29/2026
There are 3 volunteers present/working at the center without a CAN form in the files., Ad Hoc Plan of Action - Have volunteers to complete the CAN Background check	5/26/2026
Staff files are incomplete. , Ad Hoc Plan of Action - Have the files complete	5/22/2026
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Plan of Action - We staked the bottom of the fence down and to correct the safety concerns.	5/29/2026
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Plan of Action - Had the van serviced by manchanic	5/22/2026