

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BIG BLUE MARBLE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/26/2026
Facility Address: 401 EMERY DRIVE, HOOVER, AL 35244, Jefferson	Licensee: BIG BLUE MARBLE ACADEMY, LLC	Telephone #: (205) 988-8829
Ages: 4 Weeks to 12 Years	Director (if applicable):	Capacity: 284 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by Licensee</u>
<p>Deficiency Summary SUPERVISION OF CHILDREN, Allegation Comments: Per staff statement, a 2-year-old child ran out of the classroom and into the hallway unsupervised. The child's health, safety, and welfare were at risk. <i>child was never out of sight</i> An event were a child's health safety and welfare were at risk was not reported to the department as required in the standards., Ad Hoc Comments: NA <i>not reported b/c child was not unsupervised</i> There is a cubby shelf at the entrance of Pre- K B (4yr- 5yr) that is not anchored. , Ad Hoc Comments: NA <i>ordered a new shelf</i></p>	<p>Pending Correction <i>QA 6-30-26</i> Pending Correction <i>QA 6-30-26</i> Pending Correction <i>QA 6-30-26</i></p>

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 7/5/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

JOY FRAZIER

6-30-26

Date

6/26/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____ Director _____