

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: HAMPTON COVE KINDERCARE	Type of Facility : Center <input checked="" type="checkbox"/> [X] Day <input checked="" type="checkbox"/> [X] OST <input type="checkbox"/> [] Night <input type="checkbox"/> [] Family <input type="checkbox"/> [] University <input type="checkbox"/> [] Group <input type="checkbox"/> []	Date of Visit: 7/1/2026
Facility Address: 351 OLD HIGHWAY 431, HAMPTON COVE, AL 35763, Madison	Licensee: REE SOUTHEAST INC.	Telephone #: (256) 539-3773
Ages: 6 Weeks to 12 Years	Director (if applicable): CARMALETHIA BOLAN	Capacity: 217 NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u>	Date Corrected by Licensee
HAZARDS MUST BE CORRECTED IMMEDIATELY*	
Deficiency Summary All performance standards have been met at this time.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



 Signature of Facility Representative

7/1/2026

 Date

BRANDUL PERINE

Signature of DHR Licensing Representative

Date