


**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: KID'S CENTRAL SAP	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/1/2026
Facility Address: 410-11TH STREET, SE, DECATUR, AL 35601, Morgan	Licensee: KID'S CENTRAL INC.	Telephone #: (256) 353-5465
Ages: 5 Years to 13 Years	Director (if applicable):	Capacity: 99 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: there are not two staff with current CPR/1ST AIDE on file	Pending Correction
Failed - Driver signs checklist, indicating he/she has checked each seat, Inspection Form Comments: van driver failed to sign Driver Signature to verify no child was left on the van.	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: no current cpr/1st aide	Pending Correction
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: no current cpr/1st aide	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: no current cpr/1st aide	Pending Correction
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: no current cpr/1st aide	Pending Correction



INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 7/15/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Cheryl Humphries
Signature of Facility Representative

7/1/26
Date

LEA RAE GAINES
Signature of DHR Licensing Representative

7/1/26
Date

COPIES TO: _____