ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: VILLAGE SCHOOL	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 7/2/2026
Facility Address: 904 BALTIMORE AVENUE, ALBERTVILLE, AL 35950, Marshall	Licensee: SHEVIE LLC DBA VILLAGE SCHOOL	Telephone #: (256) 878-5295
Ages: 5 Weeks to 11 Years	Director (if applicable): SHARON BOMAN	Capacity: 191 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	Date Corrected by Licensee
Deficiency Summary No deficiencies noted on this visit	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____NA_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Sharon Boman — 7/6/26

Signature of Facility Representative — Date

Catherine Paulk — **7-2-26**

Signature of DHR Licensing Representative — Date

COPIES TO: __center_____