

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CHANDALAR INNOVATIVE LEARNING ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/29/2026
Facility Address: 1968 CHANDALAR OFFICE PK, PELHAM, AL 35124, Shelby	Licensee: CHANDALAR INNOVATIVE LEARNING ACADEMY	Telephone #: (205) 624-2273
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 105 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary On May 22, 2026, upon arrival of DHR representative, present in the 3 year old classroom were a mixture of 26 sleeping and awake children ages 3 years - 8 years with one staff member. Ratios not met, Ad Hoc Comments: NA	6/3/2026
On May 22, 2026, a staff member supervising children in the infant classroom (6 weeks - 18 months) is missing the proper suitability letter., Ad Hoc Comments: NA	6/3/2026
On May 22, 2026, a staff member supervising children in the 6 weeks - 18 months classroom is missing the proper suitability letter. Ratios for the classroom are not met. Present were 7 infants and 2 staff, Ad Hoc Comments: NA	6/3/2026
On June 3, 2026, a staff supervising the children in the JungleWorld 2 classroom (2 1/2 - 3 1/2 years) has an expired CAN form on file, Ad Hoc Comments: NA	Pending Correction
On June 3, 2026, the JungleWorld 2 classroom (2 1/2 yrs - 3 1/2yrs) 11 children present and one staff was out of ratio due to a staff with an expired CAN form on file., Ad Hoc Comments: NA	6/3/2026
On June 29, 2026, the 5 children in the 18 months - 2 1/2 year old classroom was exposed to screentime upon the arrival of the DHR	Pending Correction

representative. (Viewing a children's video), Ad Hoc
Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

 _____ 7-6-26 _____
Signature of Facility Representative Date

BRIDGETTE SMITH

Signature of DHR Licensing Representative Date

COPIES TO: _____