

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LITTLE DIMPLES CHILDCARE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/23/2026
Facility Address: 725 Gilbert Ferry Road Southeast, Attalla, AL 35954, Etowah	Licensee: DELONDA BASKIN	Telephone #: (205) 359-0459
Ages: 6 Weeks to 10 Years	Director (if applicable):	Capacity: 27 NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Immunization Certificate, Child Checklist Comments: out of date	6/26/2026
Failed - Immunization Certificate, Child Checklist Comments: none in file.	6/26/2026
Failed - Immunization Certificate, Child Checklist Comments: out of date	6/26/2026
Failed - Immunization Certificate, Child Checklist Comments: out of date	6/26/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before na, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Delonda Baskin 7-6-26
Signature of Facility Representative Date

CATHERINE PAULK 7-6-26
Signature of DHR Licensing Representative Date

COPIES TO: center