

Plan of Correction

SECTION A - IDENTIFYING INFORMATION

Facility Name: AMAZING KIDS ACADEMY	Type of Facility: Center <input checked="" type="checkbox"/> OST <input type="checkbox"/> Day <input checked="" type="checkbox"/> Family <input type="checkbox"/> University <input type="checkbox"/> Night <input type="checkbox"/> Group <input type="checkbox"/>
Physical Address: 1125 E S BLVD MONTGOMERY, AL 36116	Mailing Address: P.O. BOX 250274 MONTGOMERY, AL, 36125-0274
Telephone Number: (334) 356-7121	Licensee: DINAH ROBINSON-ALLEN
Capacity: 140	Director: DINAH ROBINSON ROBINSON-ALLEN
Age Range: 6 Weeks to 13 Years	Date Prepared: 6/30/2026

SECTION B - BASIS FOR PLAN OF CORRECTION

List each deficiency, the plan of action, and the target date for each item:

Deficiency Plan of Correction	Date to be completed
Failed - Preadmission Form, Child Checklist Plan of Action - Preadmission form will be corrected completed.	7/14/2026
Failed - Immunization Certificate, Child Checklist Plan of Action - Zekai's file will be completed.	7/14/2026
Failed - Furniture child size, clean, good condition, Classroom Checklist / Infant Plan of Action - furniture in infant room will be cleaned.	7/14/2026
Failed - Sink, warm water, soap, paper towels, Classroom Checklist / Waddlers Plan of Action - Sink will be repaired.	7/14/2026
Failed - *Non-toxic playdough or clay, Classroom Checklist / Preschool Plan of Action - We will get playdough for the classroom.	7/10/2026
Failed - *Non-toxic playdough or modeling clay, Classroom Checklist / School Age Plan of Action - We will get playdough for the classroom.	7/10/2026
Failed - Exposed electrical outlets have protective covers, Inspection Form Plan of Action - outlet covers will be place in all the outlets.	7/14/2026
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Plan of Action - Exposed cemented area new ramp will be covered to make more safe.	7/14/2026

Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Plan of Action - Playground will be repaired of any hazards.	7/14/2026
Failed - For infants, clean bottom sheets daily or more often if needed, sheets fit snugly, Inspection Form Plan of Action - Sheets will be replaced daily.	7/14/2026
Failed - Transportation checklists used as required, Inspection Form Plan of Action - Transportation checklist will be submitted to consultant	7/14/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Plan of Action - All employees will be enrolled in Alabama pathways.	7/14/2026
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Plan of Action - Vehicle safety check will be submitted to consultant.	7/14/2026
In the home living center in the big room outside of the infant room door there is a child's couch that has a torn cover., Ad Hoc Plan of Action - The cover has temporarily been removed, however a new cover will be purchased for the couch.	7/14/2026
In the big room by the back door there is a fire extinguisher sitting on the table., Ad Hoc Plan of Action - The extinguisher will be remounted on the wall near the exit door.	7/14/2026
Failed - Clear glass doors are marked at child level, Inspection Form Plan of Action - Stickers will be place at children's eye level.	7/14/2026
In the 3- & 4-year-old room there is a broken sink with the broken parts laying in the floor., Ad Hoc Plan of Action - The parts were already removed, and the sink will be repaired.	7/14/2026
In the 3- and 4-year-old room there was a bag of medicines (children's Advil, Airborne & Thura flue) in the closet not under lock and key or combination lock., Ad Hoc Plan of Action - The bag of medicines belong to an employee who recently moved to a homeless shelter and brought her belongings with her to keep someone from taking them at the shelter. She has been counseled and told to possibly lock them into an employees vehicle while at work or find an alternate location in the daycare to lock them in.	7/14/2026
In the closet in the 3- &4-year-old room there were chemicals (Clorox spray, carpet cleaner and peroxide) not under lock and key or combination lock., Ad Hoc Plan of Action - The door is now locked.	7/3/2026
In the boy's bathroom there is a ceiling tile that is falling., Ad Hoc Plan of Action - Tile will be replaced.	7/14/2026