

Comments: On 5/29/26, the staff person did not have a current medical on file.

Failed - Preadmission Form, Child Checklist

6/1/2026

Comments: On 5/29/26, doctor's information and signatures were missing on the form.

Failed - Preadmission Form, Child Checklist

6/1/2026

Comments: On 5/29/26, signatures were missing from page two (2).

On 6/17/26, the director's suitability was the incorrect background check., 7/6/2026
Ad Hoc

Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

AJOIA MCGHEE

7/9/26
Date

7/6/26

Signature of DHR Licensing Representative

Date

COPIES TO: Center Management