

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: KING'S MEMORIAL U.M.C. PREK #1	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 7/9/2026
Facility Address: 702 MCCARTNEY ST NW, DECATUR, AL 35601, Morgan	Licensee: KING'S MEMORIAL UNITED METHODIST CHURCH	Telephone #: (256) 353-9267
Ages: 4 Years to 5 Years	Director (if applicable): TAYLOR W BYRD JR PHD	Capacity: 18 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by</u> <u>Licensee</u>
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: staff not enrolled in AL Pathways	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: expired	Pending Correction
Failed - Written Verification of Standards Read, Staff Checklist Comments: not in file	Pending Correction
Failed - Written Verification of Standards Read, Staff Checklist Comments: not in file	Pending Correction
Failed - Written Verification of Standards Read, Staff Checklist Comments: not in file	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 07/25/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to

operate in compliance with Performance Standards.

Signature of Facility Representative

7/9/26
Date

LEA RAE GAINES

Signature of DHR Licensing Representative

7/9/26
Date

COPIES TO: _____