

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: SMALL WONDERS EARLY ACHIEVERS	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/9/2026
Facility Address: 508 A JORDAN AVENUE, TALLASSEE, AL 36078, Elmore	Licensee: SMALL WONDERS EARLY ACHIEVERS LLC	Telephone #: (334) 544-1405
Ages: 4 Weeks to 17 Years	Director (if applicable): SHEMIKA BOGAN	Capacity: 45 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: Turf is ripped and poses a tripping hazard. Grass is too tall.	Pending Correction
Failed - Concrete/asphalt not used under equipment, Inspection Form Comments: A climber is sitting on the concrete area.	Pending Correction
Failed - 0 up to 18 months 1 to 5, Inspection Form Comments: One staff with 7 children.	7/9/2026
Failed - 4 years up to school age 1 to 18, Inspection Form Comments: One staff to 19 children.	7/9/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Training has not been updated.	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired 6/2026	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before
07/17/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

shemika bogan

7/9/2026

Signature of Facility Representative

Date

JESSICA VICE

07/09/2026

Signature of DHR Licensing Representative

Date

COPIES TO: __Center_____