

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MRS. PAT'S DAY CARE	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 7/9/2026
Facility Address: 167 2ND STREET, RUSSELLVILLE, AL 35653, Franklin	Licensee: PATRICIA INEZ FREDERICK	Telephone #: (256) 331-5573
Ages: 6 Weeks to 12 Years	Director (if applicable): N/A	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary [InspectionSummaryDescription] Failed - Outdoor play area and equipment free from apparent hazards, 7/9/2026 Inspection Form Comments: On 07/09/2026, the gate in the infant play area is not secured	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Patricia Frederick
Signature of Facility Representative

7-9-2026
Date

Rolanda Nelson
Signature of DHR Licensing Representative

07/09/2026
Date

COPIES TO: Patricia Frederick