

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: STORK'S NEZT PREPARATORY CDC, INC.	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 7/10/2026
Facility Address: 4908 OAK CIRCLE DRIVE N., MOBILE, AL 36609, Mobile	Licensee: STORK'S NEZT PREPARATORY CDC, INC.	Telephone #: (251) 665-5566
Ages: 6 Weeks to 12 Years	Director (if applicable): MARILYN HALL	Capacity: 72 , NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
NO DEFICIENCIES OBSERVED AT THE TIME OF VISIT.	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: 6/17/26 There is expose rust on the ball goal post on the large playground area.	7/10/2026
Failed - Ongoing Training, Staff Checklist Comments: 6/17/26 Missing 12 hours	7/8/2026
Failed - Health and Safety Training, Staff Checklist Comments: 6/17/26 Missing 1-11	7/8/2026
Failed - Ongoing Training, Staff Checklist Comments: 6/17/26 Missing 12 hours	6/30/2026
Failed - Health and Safety Training, Staff Checklist Comments: 6/17/26 Missing 5,8,9	6/30/2026
Failed - Health and Safety Training, Staff Checklist Comments: 6/17/26 Missing 1,2,3,4,6, 9	7/6/2026
Failed - Ongoing Training, Staff Checklist Comments: 6/17/26 Missing 12 hours	6/30/2026
Failed - Health and Safety Training, Staff Checklist Comments: 6/17/26 Missing 1-11	6/30/2026
Failed - Ongoing Training, Staff Checklist Comments: 6/17/26 Missing 12 hours	7/6/2026
Failed - Ongoing Training, Staff Checklist Comments: 6/17/26 Missing 13 hours	6/29/2026
Failed - Ongoing Training, Staff Checklist	7/6/2026

Comments: 6/17/26 Missing 12 hours	
Failed - Health and Safety Training, Staff Checklist	7/6/2026
Comments: 6/17/26 Missing 1-11	
Failed - Medical, Staff Checklist	7/6/2026
Comments: 6/17/26 Expired on 01/03/2026	
Failed - Ongoing Training, Staff Checklist	6/29/2026
Comments: 6/17/26 Missing 10 hours	
Failed - Preadmission Form, Child Checklist	6/29/2026
Comments: 6/17/26 Incomplete	
Failed - Preadmission Form, Child Checklist	6/29/2026
Comments: 6/17/26 Incomplete	
Failed - Preadmission Form, Child Checklist	6/29/2026
Comments: 6/17/26 Incomplete	
Failed - Preadmission Form, Child Checklist	6/29/2026
Comments: 6/17/26 Incomplete	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddler I	7/10/2026
Comments: 6/17/26 Shelving needs to be anchored.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddler II	7/10/2026
Comments: 6/17/26 Shelving needs to be anchored.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddler III	7/10/2026
Comments: 6/17/26 Shelving needs to be anchored.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / K-3	7/10/2026
Comments: 6/17/26 Shelving needs to be anchored.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

LaDanika York


 Date

Signature of DHR Licensing Representative

 Date

COPIES TO: _____