

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: AL STEM ED EARLY CHILDHOOD LEARNING CTR	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/10/2026
Facility Address: 2500-35TH AVENUE NORTH, BIRMINGHAM, AL 35207, Jefferson	Licensee: ALABAMA STEM EDUCATION, INC.	Telephone #: (205) 436-2107
Ages: 6 Weeks to 16 Years	Director (if applicable): JUANITA GRAHAM	Capacity: 60 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
DISCIPLINARY PRACTICES, Allegation	7/24/2026
Comments:	
There were no deficiencies noted or observed on today's visit. All	7/10/2026
Health and safety met as of 7/10/26., Ad Hoc	
Comments: NA	


INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

CATRESSA ROZELL

Signature of DHR Licensing


Date

7/10/26
Date

Representative

COPIES TO: _____