

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: EVANGEL CHRISTIAN PRESCHOOL	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/14/2026
Facility Address: 3975 Vaughn Road, Montgomery, AL 36106, Montgomery	Licensee: EVANGEL CHRISTIAN PRESCHOOL	Telephone #: (334) 273-0730
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 90 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary The sink is not working in the 12 to 18 month classroom., Ad Hoc Pending Correction Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Rosemary Hean _____ Signature of Facility Representative JESSICA VICE _____ Signature of DHR Licensing Representative	7/14/2026 _____ Date _____ Date
---	---

COPIES TO: _____