

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: THE EDUCATION STATION	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/17/2026
Facility Address: 318 W. FRONT STREET, THOMASVILLE, AL 36784, Clarke	Licensee: MERITA HARRELL	Telephone #: (334) 637-0008
Ages: 3 Weeks to 12 Years	Director (if applicable): MERITA HARRELL	Capacity: 75 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Failed - Medical, Staff Checklist Comments: A staff member has an expired medical on file in the center.	7/20/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

LESLIE WILLIAMS

Signature of DHR Licensing Representative



Date

07/20/2026

Date

COPIES TO: Merita Harrell