

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: METROPOLITAN DAY SCHOOL	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/21/2026
Facility Address: 2817 LOMB AVE., BIRMINGHAM, AL 35208, Jefferson	Licensee: METROPOLITAN DAY SCHOOL	Telephone #: (205) 957-6550
Ages: 12 Months to 5 Years	Director (if applicable): JAN MCSHAN	Capacity: 38 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - 0 up to 18 months 1 to 5, Inspection Form Comments: On 7/21/26, the infant classroom was out of ratio.	Pending Correction
Failed - 18 up to 2½ years 1 to 7, Inspection Form Comments: On 7/21/26, the toddler classroom was out of ratio.	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On 7/21/26, all staff were not enrolled in Alabama Pathways.	Pending Correction
Failed - Character and suitability review conducted on required person (every 5 years), Inspection Form Comments: On 7/21/26, there were two (2) staff persons working in the infant/ toddler classrooms without a background check and/ or CA/N.	Pending Correction
Failed - Medical, Staff Checklist Comments: On 7/21/26, the medical was expired.	Pending Correction
Failed - Medication locked, Classroom Checklist / Toddler 1	7/21/2026

Comments: On 7/21/26, diaper rash cream and an inhaler were not locked.

On 7/21/26, staff files were incomplete. , Ad Hoc
Comments: NA

Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8/4/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ava Young

Signature of Facility Representative

AJOIA MCGHEE

Signature of DHR Licensing Representative

7/21/26

Date

7/21/26

Date

COPIES TO: Center Management