

**ALABAMA DEPARTMENT OF HUMAN RESOURCES**  
**CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                         |                                                                                                                                                   |                                                                   |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Facility Name:<br>PNC KIDS CUB                                          | Type of Facility : Center [X]<br>Day [X]                      OST [ ]<br>Night [ ]                      Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>7/21/2026                                       |
| Facility Address:<br>14473 Bledsoe Road, Athens, AL 35613,<br>Limestone | Licensee:<br>MCDONALD PLAYCARE,<br>INC.                                                                                                           | Telephone #:<br>(256) 233-7974                                    |
| Ages:<br>5 Years to 12 Years                                            | Director (if applicable):<br>SHANNON ABERNATHY                                                                                                    | Capacity:<br>131        /    NA<br>Day                      Night |

**SECTION B - DEFICIENCY INFORMATION**

| <b><u>Performance Standard Deficiency</u></b><br><b><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i></b>                                                                                                                                                                | <b>Date Corrected by<br/>Licensee</b> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                                                                                                                                                                                            |                                       |
| Failed - Posted in a conspicuous place, Inspection Form<br>Comments: On 7/21/2026, the EPRP was not posted.                                                                                                                                                          | 7/21/2026                             |
| Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form<br>Comments: On 7/21/2026, there are no staff currently registered on Alabama Pathways. | Pending Correction                    |
| Failed - Most recent licensing evaluation, Inspection Form<br>Comments: On 7/21/2026, the recent licensing evaluation is not posted.                                                                                                                                 | Pending Correction                    |
| Failed - Menu for meals and snacks/dated, Inspection Form<br>Comments: On 7/21/2026, weekly menu is not posted.                                                                                                                                                      | 7/21/2026                             |
| Failed - Emergency Preparedness and Response Plan, Inspection Form<br>Comments: On 7/21/2026, the Emergency Preparedness and Response Plan is not posted.                                                                                                            | 7/21/2026                             |
| Failed - Health and Safety Training, Staff Checklist<br>Comments: On 7/21/2026, there is no record of trainings.                                                                                                                                                     | Pending Correction                    |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 08/04/2026, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Shannon Abernathy

*Signature of Facility Representative*

7/21/26

*Date*

Rolanda Nelson

*Signature of DHR Licensing Representative*

7/21/2026

*Date*

COPIES TO: Shannon Abernathy