

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A - IDENTIFYING INFORMATION**

Facility Name: TRACEY TOTS	Type of Facility: Center [ ] Day [X]      OST [ ] Night [ ]      Family [X] University [ ] Group [ ]	Date of Visit: 04/03/2025
Facility Address: 1315 COUNTY ROAD 1668, CULLMAN, AL 35058, Cullman	Licensee: TRACEY LEIPERT	Telephone #: (256) 590-4283
Ages: 0 Weeks to 5 Years	Director (if applicable):	Capacity: 6      /      NA Day      Night

**SECTION B - DEFICIENCY INFORMATION**

<u>Performance Standard Deficiency</u> <b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>	Date Corrected by Licensee
Deficiency Summary	

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Tracey Leipert  
Signature of Facility Representative

4/13/25  
Date

sonya long Sonya Long  
Signature of DHR Licensing Representative

4/3/25  
Date

COPIES TO: licensee