

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LOVE JOY MINISTRIES CHURCH INC. SITE 1	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 7/22/2026
Facility Address: 210 64TH STREET SOUTH, BIRMINGHAM, AL 35212, Jefferson	Licensee: LOVE JOY MINSTRIES INC	Telephone #: (205) 591-7317
Ages: 6 Weeks to 11 Years/6 Weeks to 11 Years	Director (if applicable): DEBRA BUSH	Capacity: 156 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Hazardous substances under lock and key or combination lock, Inspection Form Comments: There is a janitor cart in the hallway with cleaning solutions not under lock and key.	7/22/2026
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: There are active ant beds under the swing set.	7/22/2026
Failed - Foods that may cause choking prepared appropriately for the child, Inspection Form Comments: Hotdogs chopped but not cut length ways.	7/22/2026
Failed - Preadmission Form, Child Checklist Comments: missing 2 signatures on second page.	Pending Correction
Failed - Barriers around heaters, fans, Classroom Checklist / Pre-K Comments: A fan on staff's desk with no barrier.	7/22/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8/5/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of

Performance Standards. A facility licensed by the Department must always meet **Performance Standards** applicable to that facility. It is the responsibility of the licensee to operate in compliance with **Performance Standards**.


Signature of Facility Representative

7-22-26
Date

JOY FRAZIER

Signature of DHR Licensing Representative

7/22/26
Date

COPIES TO: Director