

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BEULAH BAPTIST CHURCH	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 6/25/2026
Facility Address: 1022-2ND AVE N, BESSEMER, AL 35020, Jefferson	Licensee: BEULAH BAPTIST CHURCH	Telephone #: (205) 424-0861
Ages: 12 Months to 11 Years	Director (if applicable): FANNIE WRIGHT	Capacity: 38 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form	5/29/2026
Comments: The fence along the left side of the playground has a gap along the bottom (safety hazard).	
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form	5/22/2026
Comments: Missing	
Failed - Ongoing Training, Staff Checklist	5/26/2026
Comments: missing	
Failed - Ongoing Training, Staff Checklist	5/26/2026
Comments: missing	
Failed - Ongoing Training, Staff Checklist	5/25/2026
Comments: missing	
There are 4 volunteers present/working at the center without Suitability Letters in the files., Ad Hoc	5/29/2026
Comments: NA	
There are 3 volunteers present/working at the center without a CAN form in the files., Ad Hoc	5/26/2026
Comments: NA	
Staff files are incomplete. , Ad Hoc	5/22/2026
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility

representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Fannie Wright

July 28, 2026

Signature of Facility Representative

Date

SHUNDR NEVELS

Signature of DHR Licensing Representative

Date

COPIES TO: _____