

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CRUMBEY BETHEL DAYCARE AND KINDERGARTEN	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/29/2026
Facility Address: 444 - 58TH STREET, FAIRFIELD, AL 35064, Jefferson	Licensee: CRUMBEY BETHEL P.B CHURCH	Telephone #: (205) 788-5051
Ages: 6 Weeks to 12 Years	Director (if applicable): DEBORAH MITCHELL	Capacity: 98 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form	Pending Correction
Comments: Overgrowth of vines and weeds along the fenceline and a black plastic bag of leave accessible to children	
Failed - Barriers around heaters, radiators, fans, Inspection Form	Pending Correction
Comments: accessible to children	
Failed - Medical, Staff Checklist	Pending Correction
Comments: Expired	
Failed - Medical, Staff Checklist	Pending Correction
Comments: Expired	
Failed - Medical, Staff Checklist	Pending Correction
Comments: Expired	
Failed - Medical, Staff Checklist	Pending Correction
Comments: Expired	
Failed - Medical, Staff Checklist	Pending Correction
Comments: Expired	
Failed - Preadmission Form, Child Checklist	Pending Correction
Comments: Missing signatures	


INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative



Date

SHUNDR NEVELS

Signature of DHR Licensing Representative

Date

COPIES TO: _____