

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BLOOM CHILD ENRICHMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/29/2026
Facility Address: 2341 HWY 31, DEATSVILLE, AL, 36022, Autauga	Licensee: BLOOM CHILD ENRICHMENT CENTER LLC	Telephone #: (334) 425-2095
Ages: 6 Weeks to 6 Years	Director (if applicable): K JORDAN SALLAS	Capacity: 71 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary RATIOS MAINTAINED, Allegation 7/29/2026 Comments: The 18-month to 2 1/2 year classroom is out of ratio 13 children to 1 staff.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____x_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Amanda Martin
Signature of Facility Representative

07/29/2026
Date

JESSICA VICE
**Signature of DHR Licensing
Representative**

7/29/26
Date

COPIES TO: _____center_____