

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: HONEYSUCKLE CHILD CARE & PRESCHOOL,INC.	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/31/2026
Facility Address: 1765 HONEYSUCKLE ROAD, DOTHAN, AL, 36305, Houston	Licensee: HONEYSUCKLE CHILD CARE & PRESCHOOL,INC.	Telephone #: (334) 677-8800
Ages: 4 Weeks to 12 Years	Director (if applicable): MELISSA HARP	Capacity: 123 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
(7/16/2026) In the infant classroom, there is medication not under lock & key or combination lock., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) In the infant classroom, there are several bottles not labeled with the child's name., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) In the infant classroom, there are bottles in the sleeping area with the infants., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) In the infant classroom, there is a blanket and boppie pillow in the infants sleeping around., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) In the toddler's classroom, there is a staff purse not under lock & key or combination lock., Ad Hoc Comments: NA	7/16/2026

(7/16/2026) In the K-3 classroom, there is a staff purse not under lock & key or combination lock., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) In the K-4 classroom, there is an unlabeled spray bottle., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) In the K-4 classroom, there is aloe vera hand soap, lysol spray and comet spray not under lock & key or combination lock., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) In the school-agers classroom, there is hand sanitizer, hand soap and a purse not under lock & key or combination lock., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) On the toddler2 play area, there is a water hose accessible to the children., Ad Hoc Comments: NA	7/22/2026
(7/16/2026) On the toddler 2 play area, there is standing water inside of the trash can., Ad Hoc Comments: NA	7/22/2026
(7/16/2026) On the toddler 2 play area, there are exposed bolts and nuts at the bottom of the blue toy jeep., Ad Hoc Comments: NA	7/22/2026
(7/16/2026) On the large play area, there is standing water on the yellow slide., Ad Hoc Comments: NA	7/22/2026
(7/16/2026) On the large play area, there are broken tree limbs., Ad Hoc Comments: NA	7/22/2026
(7/16/2026) Upon arrival the infant room is out of ratio with one (1) staff to eight (8) infants., Ad Hoc Comments: NA	7/16/2026
(7/16/2026) During the monitoring visit a school-ager was not accompanied in the center by an adult. , Ad Hoc Comments: NA	7/31/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before compliance, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Susan Nand
Signature of Facility Representative

07/31/2026
Date

JAY DALTON

7/31/26

Signature of DHR Licensing Representative

Date

COPIES TO: Melissa Harp