

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: PNC KIDS CUB	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/4/2026
Facility Address: 14473 Bledsoe Road, Athens, AL 35613, Limestone	Licensee: MCDONALD PLAYCARE, INC.	Telephone #: (256) 233-7974
Ages: 5 Years to 12 Years	Director (if applicable): Shannon Abernathy	Capacity: 131 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Posted in a conspicuous place, Inspection Form Comments: On 7/21/2026, the EPRP was not posted.	7/22/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On 7/21/2026, there are no staff currently registered on Alabama Pathways.	8/4/2026
Failed - Most recent licensing evaluation, Inspection Form Comments: On 7/21/2026, the recent licensing evaluation is not posted.	8/4/2026
Failed - Menu for meals and snacks/dated, Inspection Form Comments: On 7/21/2026, weekly menu is not posted.	7/21/2026
Failed - Emergency Preparedness and Response Plan, Inspection Form Comments: On 7/21/2026, the Emergency Preparedness and Response Plan is not posted.	7/21/2026
Failed - Health and Safety Training, Staff Checklist Comments: On 7/21/2026, there is no record of trainings.	7/28/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Shannon Abernathy

Signature of Facility Representative

8/4/26

Date

Rolanda Nelson

Signature of DHR Licensing Representative

08/04/2026

Date

COPIES TO: Shannon Abernathy