

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PURE WORD ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/5/2026
Facility Address: 2530 S. SHELTON BEACH RD., EIGHT MILE, AL 36613, Mobile	Licensee: JANNIE JACKSON C/O PURE WORD DEL. H.O.P.	Telephone #: (251) 456-1234
Ages: 6 Weeks to 12 Years	Director (if applicable): JANNIE JACKSON	Capacity: 75 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: On the K-2 playground there is a broken swing.	7/16/2026
Failed - Medical, Staff Checklist Comments: A staff member is missing a medical form on file in the center.	8/5/2026
Failed - TB Test Date and Results, Staff Checklist Comments: A staff member is missing a TB form on file in the center.	8/5/2026
Failed - Medical, Staff Checklist Comments: A staff member has an expired medical on file in the center.	8/5/2026
Failed - Hazardous substances locked, Classroom Checklist / 18months-24months Comments: There are hazards not under lock and key or combination lock. (Clorox Sani-Wipes)	7/16/2026
Failed - Hazardous substances locked, Classroom Checklist / Nusery Comments: There are hazards not under lock and key or combination lock. (Lysol Disinfectant Spray, Disinfectant Cleaner)	7/16/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before N/A,
as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

LESLIE WILLIAMS

Signature of DHR Licensing Representative

08/05/2026
Date

08/05/2026

Date

COPIES TO: Brandy McMillian