

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: DAY KARA'S	Type of Facility : Center [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 8/5/2026
Facility Address: 200 SUMMERVILLE ROAD, SMITHS STATION, AL 36877, Lee	Licensee: KARA PRICE	Telephone #: (334) 947-4011
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Most recent licensing evaluation posted, Inspection Form	8/5/2026
Comments: Most recent evaluation is not posted.	
Failed - Outdoor play area and equipment free from apparent	8/5/2026
hazards, Inspection Form	
Comments: Hazardous object (broken swing seat with chains) was found on the playground fence.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____N/A_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Kara Price
Signature of Facility Representative

08/05/2026
Date

Natalie Sumrall

08/05/2026

**Signature of DHR Licensing
Representative**

Date

COPIES TO: ___Licensee_____