

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: JUMP START ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/5/2026
Facility Address: 10090 Lee Street East, Blountsville, AL 35031, Blount	Licensee: JUMP START LLC	Telephone #: (205) 777-5867 - 4
Ages: 6 Weeks to 12 Years	Director (if applicable): Ashley Gullede	Capacity: 88 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On May 5, 2026, there was no account found for the center.	Pending Correction
Failed - Required ratios maintained at all times, Inspection Form Comments: On May 5, 2026, all rooms were out of ratio due to missing initial health and safety trainings, suitability letters and/or CA/N's.	5/27/2026
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: On May 5, 2026, there was not 2 staff present with current CPR/First Aid Certification.	5/30/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: On May 5, 2026, the suitability in the file was incorrect.	5/27/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: On May 5, 2026, the suitability letter in the file was incorrect.	5/27/2026
Failed - TB Test Date and Results, Staff Checklist Comments: On May 5, 2026, there was no TB test on file.	5/5/2026
Failed - Ongoing Training, Staff Checklist Comments: On May 6, 2026, there were no trainings on file.	5/25/2026
Failed - Health and Safety Training, Staff Checklist	5/25/2026

Comments: On May 5, 2026, there were no trainings on file.	
Failed - TB Test Date and Results, Staff Checklist	5/6/2026
Comments: On May 5, 2026, there was no TB test on file.	
Failed - Health and Safety Training, Staff Checklist	5/25/2026
Comments: On May 5, 2026, there were no health and safety trainings on file.	
Failed - TB Test Date and Results, Staff Checklist	5/6/2026
Comments: On May 5, 2026, there was no TB test on file.	
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist	5/27/2026
Comments: On May 5, 2026, there was no completed CAN on file.	
Failed - Health and Safety Training, Staff Checklist	5/20/2026
Comments: On May 5, 2026, there were no health and safety trainings on file.	
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist	5/27/2026
Comments: On May 5, 2026, there was no completed CAN on file.	
Failed - TB Test Date and Results, Staff Checklist	5/6/2026
Comments: On May 5, 2026, there was no TB test on file.	
Failed - Suitability Determination (Every 5 years), Staff Checklist	5/27/2026
Comments: On May 5, 2026, the suitability letter was incorrect.	
Failed - Health and Safety Training, Staff Checklist	5/18/2026
Comments: On May 5, 2026, there were no health and safety trainings on file.	
Failed - Ongoing Training, Staff Checklist	5/26/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Health and Safety Training, Staff Checklist	5/26/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Ongoing Training, Staff Checklist	5/25/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Health and Safety Training, Staff Checklist	5/25/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Ongoing Training, Staff Checklist	5/25/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Health and Safety Training, Staff Checklist	5/25/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Ongoing Training, Staff Checklist	5/25/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Health and Safety Training, Staff Checklist	5/25/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Ongoing Training, Staff Checklist	5/25/2026
Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Health and Safety Training, Staff Checklist	5/25/2026


Comments: On May 5, 2026, there were no current trainings on file.	
Failed - Immunization Certificate, Child Checklist	5/25/2026
Comments: On May 5, 2026, the immunization record had expired.	
Failed - Immunization Certificate, Child Checklist	5/19/2026
Comments: On May 5, 2026, there was no immunization record in the file.	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / 30m-48m	5/20/2026
Comments: On May 5, 2026, there was a bookshelf in the room that the anchors had come loose from the wall.	
Failed - Hazardous substances locked, Classroom Checklist / Infants (6w-18m)	5/12/2026
Comments: On May 5, 2026, there was a screw sticking out of a shelf.	
Failed - Hazardous substances locked, Classroom Checklist / 24-36 months extra	5/15/2026
Comments: On May 6, 2026, there was a bookshelf that was not anchored.	
On May 5, 2026, the headliner of the van was hanging loose and parts of it held together with thumb tacks. , Ad Hoc	5/29/2026
Comments: NA	
On May 29, 2026, the center failed to notify the Department of a closure on May 22, 2026. , Ad Hoc	5/29/2026
Comments: NA	
On June 23, 2026, staff files were incomplete due to missing information., Ad Hoc	7/31/2026
Comments: NA	
On June 23, 2026, the 4-year-old room was out of ratio due to missing CAN., Ad Hoc	7/31/2026
Comments: NA	
On July 9, 2026, there were children younger than 2 1/2 years old grouped with children over 2 1/2 years in the toddler room., Ad Hoc	7/14/2026
Comments: NA	
Per video footage viewed on July 31, 2026, a staff was viewed using rough and harsh handling on a three (3) years old child on July 30, 2026, by picking the child up, roughly placing the child on the ground and holding the child down., Ad Hoc	Pending Correction
Comments: NA	
Per video footage viewed on July 31, 2026, on July 30, 2026, a three (3) year old child ran out of the three (3) year old room, ran down the hall and was unsupervised for an undetermined amount of time. , Ad Hoc	Pending Correction
Comments: NA	
Per video footage viewed on July 31, 2026, On July 30, 2026, children younger than two and one half (2 1/2) were grouped with children over two and one half (2 1/2) during afternoon pick up time., Ad Hoc	Pending Correction
Comments: NA	

On July 31, 2026, there were exposed electrical outlets in the
3-year-old room., Ad Hoc
Comments: NA

Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 08/19/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

JAIME BOWMAN

Signature of DHR Licensing Representative

08-6-26
Date

08/05/26

Date

COPIES TO: Ashley Gullledge