

Plan of Correction

SECTION A - IDENTIFYING INFORMATION

SECTION 1 - IDENTIFY THE INFORMATION		
Facility Name: AGES AND STAGES LEARNING CENTER	Type of Facility: Day ☒ Night ☐	Center ☒ OST ☐ Family ☐ University ☐ Group ☐
Physical Address: 6513 SECOND AVE SOUTH BIRMINGHAM, AL 35212	Mailing Address:	
Telephone Number: (205) 592-0810	Licensee: SANDRA ELLIS	
Capacity: 55	Director: SANDRA ELLISS ELLIS	
Age Range: 6 Weeks to 12 Years	Date Prepared: 8/7/2026	

SECTION B - BASIS FOR PLAN OF CORRECTION

List each deficiency, the plan of action, and the target date for each item:

Deficiency Plan of Correction	Date to be completed
Failed - Medical, Staff Checklist Plan of Action - medical received	7/20/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - received	7/21/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - received	7/21/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - received	7/21/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - received	7/21/2026
Failed - Medical, Staff Checklist Plan of Action - received	7/21/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - received	7/21/2026
Failed - Immunization Certificate, Child Checklist Plan of Action - received	7/21/2026
Failed - Preadmission Form, Child Checklist Plan of Action - received	7/21/2026
Failed - Immunization Certificate, Child Checklist Plan of Action - receivedf	8/4/2026
Failed - Immunization Certificate, Child Checklist Plan of Action - received	8/4/2026
Failed - Preadmission Form, Child Checklist Plan of Action - received	7/21/2026

Failed - Sign in/sign out sheets, Inspection Form Plan of Action - updated	7/20/2026
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Plan of Action - received	7/20/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Plan of Action - All staff under pathway	8/4/2026
Failed - Fire, Inspection Form Plan of Action - received	7/20/2026
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Plan of Action - received	7/28/2026
Failed - Medical, Staff Checklist Plan of Action - received	7/20/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Plan of Action - Received	7/21/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - received	7/21/2026
Failed - Health and Safety Training, Staff Checklist Plan of Action - received	7/21/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - received	7/21/2026
Failed - Ongoing Training, Staff Checklist Plan of Action - received	7/21/2026