

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: BESSEMER ACADEMY PRE-SCHOOL/DAYCARE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/7/2026
Facility Address: 1705 4TH AVENUE, SW, BESSEMER, AL 35022, Jefferson	Licensee: FAITH BAPTIST BIBLE COLLEGE, INC.	Telephone #: (205) 426-9842
Ages: 3 Years to 12 Years	Director (if applicable): PAIGE TURK	Capacity: 105 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some staff are missing in the Alabama Pathways Registry.	Pending Correction
Failed - Most recent fire inspection report within 5 years, Inspection Form Comments: Missing	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired	Pending Correction

Failed - Medical, Staff Checklist Comments: Expired	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Medical, Staff Checklist Comments: Missing	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing	Pending Correction
Failed - TB Test Date and Results, Staff Checklist Comments: Missing	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Missing	8/7/2026
Failed - Preadmission Form, Child Checklist Comments: Missing	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing information	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Missing	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: Expired	Pending Correction
Failed - Preadmission Form, Child Checklist	Pending Correction

Comments: Missing information

Failed - Immunization Certificate, Child Checklist
Comments: Expired

Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8/21/2026, as verification that deficiencies have been corrected.


NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

ARIANN CHARITY

Signature of DHR Licensing Representative



Date

8/7/26

Date

COPIES TO: _____