

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: EAGLE LEARNING ACADEMY #2	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/11/2026
Facility Address: 177 ACADEMY DRIVE, GREENVILLE, AL 36037, Butler	Licensee: EAGLE LEARNING ACADEMY, LLC	Telephone #: (334) 728-1774
Ages: 6 Weeks to 18 Years	Director (if applicable): LATONYA PORTER	Capacity: 35 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist	Pending Correction

Comments: Missing Documentation	
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing Documentation	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 08/20/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

AMY HORN

08/11/2026

 Date

08/11/2026

Signature of DHR Licensing Representative

Date

COPIES TO: _____ DIRECTOR _____