

**ALABAMA DEPARTMENT OF HUMAN RESOURCES**  
**CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                         |                                                                                                                                                   |                                                            |
|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| Facility Name:<br>BRIGHT BEGINNINGS LEARNING<br>CENTER                  | Type of Facility : Center [X]<br>Day [X]                      OST [ ]<br>Night [ ]                      Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>7/10/2026                                |
| Facility Address:<br>1061 S SCOTTSVILLE,<br>CENTREVILLE, AL 36732, Bibb | Licensee:<br>DONNETTA TAYLOR                                                                                                                      | Telephone #:<br>(205) 926-7118                             |
| Ages:<br>6 Weeks to 16 Years                                            | Director (if applicable):<br>DONNETTA TAYLOR                                                                                                      | Capacity:<br>32            /    NA<br>Day            Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><b>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>                                                                                                                                                  | <b>Date Corrected by<br/>Licensee</b> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                                                                                                                                                                |                                       |
| <b>ALL DEFICIENCIES CORRECTED THROUGH ARISE ON 08/13/2026.</b>                                                                                                                                                                           |                                       |
| Failed - 2 ½ years up to 4 years    1 to 11, Inspection Form<br>Comments: The ratio in the giraffe preschool room was 0 to 3 due to a staff that did not have a Child Abuse and Neglect form.                                            | 7/23/2026                             |
| Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form<br>Comments: One staff is not enrolled in Alabama Pathways. | 7/31/2026                             |
| Failed - Fire, Inspection Form<br>Comments: There is not documentation of quarterly fire drills.                                                                                                                                         | 7/31/2026                             |
| Failed - Tornado, Inspection Form<br>Comments: There is not documentation of quarterly tornado drills.                                                                                                                                   | 7/31/2026                             |
| Failed - Lockdown, Inspection Form<br>Comments: There is not documentation of quarterly lockdown drills.                                                                                                                                 | 7/31/2026                             |

|                                                                                                                                                                                                                     |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Failed - Relocation, Inspection Form<br>Comments: There is not documentation of quarterly relocation drills.                                                                                                        | 7/31/2026 |
| Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form<br>Comments: There was not a vehicle safety check form for the PreK field trip May 15, 2026. | 7/31/2026 |
| Failed - Medical, Staff Checklist<br>Comments: The staff's medical expired 2/18/2026.                                                                                                                               | 8/13/2026 |
| Failed - CA/N Clearance Form (Every Five Years), Staff Checklist<br>Comments: The staff does not have a Child Abuse and Neglect form.                                                                               | 7/23/2026 |

**INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.**

**NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.**

Donnetta Taylor 08/13/2026  
*Signature of Facility Representative* Date

AMY HORN 08/13/2026  
*Signature of DHR Licensing Representative* Date

COPIES TO: DIRECTOR