

Comments: Staff is missing 15.5 hours of ongoing training.

Failed - Health and Safety Training, Staff Checklist

Pending Correction

Comments: Staff is missing 11 hours of health and safety training.

Failed - Health and Safety Training, Staff Checklist

Pending Correction

Comments: Staff is missing 6 hours of Health and Safety Training.


Failed - Preadmission Form, Child Checklist

7/30/2026

Comments: Preadmission form is missing a parent signature

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8/25/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

8/14/2026

Date

AMY HORN

Signature of DHR Licensing Representative

8/14/2026

Date

COPIES TO: LICENSEE