

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BLESSINGS CHILDCARE - BLOUNTSVILLE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 7/31/2026
Facility Address: 67889 MAIN STREET, BLOUNTSVILLE, AL 35031, Blount	Licensee: KATHERINE MCMILLIAN	Telephone #: (205) 625-5437
Ages: 2 Weeks to 12 Years	Director (if applicable): SANDY BAILEY	Capacity: 51 NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On July 31, 2026, Alabama Pathways was not up to date.	8/3/2026
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: On July 31, 2026, there was chipping paint on the red and blue swings on the infant/toddler playground and on the yellow bus toy on the preschool/school age playground.	7/31/2026
Failed - TB Test Date and Results, Staff Checklist Comments: no results listed	8/1/2026
Failed - Health and Safety Training, Staff Checklist Comments: On July 31, there was no current health and safety training on file.	8/3/2026
Failed - Health and Safety Training, Staff Checklist Comments: On July 31, there was 1 health and safety training missing.	8/3/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Therese M. Hill
Signature of Facility Representative

JAIME BOWMAN

Signature of DHR Licensing Representative

8/17/2026

Date

07/31/26

Date

COPIES TO: Sandy Bailey