

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PECAN GROVE PREP	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 7/29/2026
Facility Address: 604 E. COATS AVENUE, LINDEN, AL 36748, Marengo	Licensee: HEATHER STEPHENS	Telephone #: (334) 212-6016
Ages: 0 Weeks to 13 Years	Director (if applicable): HEATHER GLASS STEPHENS	Capacity: 75 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor area adjoins or is safely accessible, Inspection Form Comments: The entry way going to both playgrounds behind the double doors has a fence pole at the top of the fence bent and not attached or secured.	8/3/2026
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: grass too tall on toddler playground.	8/3/2026
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: There are blue monkey bars on the toddler playground with paint peeling.	8/3/2026
Failed - Preadmission Form, Child Checklist Comments: wrong form	8/3/2026
Failed - Preadmission Form, Child Checklist Comments: wrong form	8/3/2026

Failed - Preadmission Form, Child Checklist Comments: wrong form	8/3/2026
Failed - Containers labeled, Classroom Checklist / Toddler 1 Comments: There was a child's bottle with no labeled name.	7/29/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before n/a, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Neather Stephens
Signature of Facility Representative

8/19/26
Date

KAMILA CROWELL

Signature of DHR Licensing Representative

08-17-2026
Date

COPIES TO: director