

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: FUTURE GENERATIONS LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/4/2026
Facility Address: 109 EAST SOUTH BOULEVARD, MONTGOMERY, AL 36105, Montgomery	Licensee: CALLIE ZINNERMAN	Telephone #: (334) 593-5100
Ages: 2 Months to 12 Years	Director (if applicable): CALLIE ZINNERMAN	Capacity: 45 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Health and Safety Training, Staff Checklist Comments: missing some	Pending Correction
Staff folders are not complete in ARISE., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 8/18/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Callie Zimmerman
Signature of Facility Representative

8/17/2026
Date

KAMILA CROWELL

08-17-2026

Signature of DHR Licensing Representative

Date

COPIES TO: _____director_____