

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MONTCLAIR EARLY LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/17/2026
Facility Address: 1415 52ND ST SOUTH, BIRMINGHAM, AL 35213, Jefferson	Licensee: MONTCLAIR ELC, INC.	Telephone #: (205) 591-6352
Ages: 6 Weeks to 17 Years	Director (if applicable):	Capacity: 168 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary There are no deficiencies observed on today's visit. Due to renovations, center added 5 classrooms, changed age groups in 6 classrooms, and increased capacity due to staff files.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ashley Shaffer
Signature of Facility Representative

8/17/26
Date

SHUNDR NEVELS
Signature of DHR Licensing Representative

8/17/26
Date

COPIES TO: _____