

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: TOTS N TODDLERS LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/18/2026
Facility Address: 35 TORNADO ALLEY, PARRISH, AL 35580, Walker	Licensee: KIMBERLY SUE SMITH RICE	Telephone #: (205) 388-9878
Ages: 0 Weeks to 16 Years	Director (if applicable): AMY MCCULLAR	Capacity: 92 , NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some of the facility staff members are not enrolled in Alabama Pathway's.	Pending Correction
Failed - Medical, Staff Checklist Comments: Signed and dated	7/10/2026
Failed - Medical, Staff Checklist Comments: Missing signature and date by the physician/ nurse	7/24/2026
Failed - Medical, Staff Checklist Comments: Missing	7/24/2026
Failed - Medical, Staff Checklist Comments: Missing signature and date	7/24/2026
Failed - Preadmission Form, Child Checklist Comments: Missing dates	7/24/2026
Failed - Preadmission Form, Child Checklist Comments: Missing signature and date	7/24/2026
Staff files are incomplete., Ad Hoc Comments: NA	7/31/2026
Upon arrival, in the Nursery, an infant (2 months) is covered with a blanket while sleeping in the crib. , Ad Hoc Comments: NA	7/30/2026
Upon arrival, The Nursery is out ratio due to one staff without initial Health and Safety trainings., Ad Hoc	7/30/2026

Comments: NA Upon arrival, The Preschool Class (4-5 yr old), two children were not signed. , Ad Hoc	7/30/2026
Comments: NA There are hazards not under lock and key/ combination lock in the Toddler Classroom., Ad Hoc	Pending Correction
Comments: NA There is a cleaning solution not labeled in the Toddler Classroom., Ad Hoc	Pending Correction
Comments: NA There are hazards not under lock and key/ combination lock in the Preschool Classroom (3 yrs)., Ad Hoc	Pending Correction
Comments: NA There are hazards not under lock and key/ combination lock in the Preschool Classroom (4-5 yrs)., Ad Hoc	Pending Correction
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



 Signature of Facility Representative
 SHUNDR NEVELS



 Date

 Signature of DHR Licensing
 Representative

 Date

COPIES TO: _____