

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ARDENT PRESCHOOL PATCHWORK FARMS	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/18/2026
Facility Address: 3030 HEALTHY WAY, VESTAVIA, AL 35243, Jefferson	Licensee: ARDENT PRESCHOOL PATCHWORK FARMS LLC	Telephone #: (205) 834-9190
Ages: 6 Weeks to 6 Years	Director (if applicable): AMY DAGNAN	Capacity: 292 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
DISCIPLINARY PRACTICES, Allegation Comments: Inappropriate discipline was used in the 18-month to 2 1/2 year classroom.	7/28/2026
PROHIBITED DISCIPLINE, Allegation Comments: Per staff statements, children in the 18-month-to 2 1/2 year classroom were disciplined by being sprayed with a water bottle.	7/28/2026
ROUGH OR HARSH HANDLING, Allegation Comments: Per video footage, children were not handled gently at nap time.	Pending Correction
STAFF-CHILD RATIO MAINTAI, Allegation Comments: Per video footage, the 18 month- 2 1/2 classroom was out of ratio 9 children to 1 staff member on June 29th, 2026	7/1/2026
STAFF-CHILD RATIO NAP, Allegation Comments: Per staff statements and video footage, classrooms are out of ratio at naptime.	7/1/2026
Children in the Explorers and Toddler classrooms (ages 12-24months) do not have a diaper changing area and all children are being changed/not potty trained., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form

must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Amy Dagnan

Signature of Facility Representative

08/18/2026

Date

JESSICA VICE

Signature of DHR Licensing Representative

08/18/2026

Date

COPIES TO: _____Center_____