

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: MOUNDVILLE HEAD START R. B. LAKE CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/18/2026
Facility Address: 39760 HIGHWAY 69, MOUNDVILLE, AL 35474, Hale	Licensee: COMM. SERVICE PROGRAMS OF WEST AL, INC.	Telephone #: (205) 371-4255
Ages: 3 Years to 5 Years	Director (if applicable): SUZANNE DUBOSE	Capacity: 40 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary There no deficiencies observed on today's visit.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before n/a , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Suzayla Brown
Signature of Facility Representative

8/18/26
Date

KAMILA CROWELL

Signature of DHR Licensing Representative

08-18-2026
Date