

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ABC CHILD DEV CENTER WILDWOOD	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 8/18/2026
Facility Address: 1300 COLUMBIANA ROAD, BIRMINGHAM, AL, 35216, Jefferson	Licensee: ABC CHILD DEV. CENTER, INC.	Telephone #: (205) 942-2281
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable): BEVERLY SEELEY	Capacity: 120 / 120 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary There were no deficiencies noted or observed on today's visit. All 8/18/2026 Health and Safety met as of 8/18/26., Ad Hoc Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before
 N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Beverly Seeley

Signature of Facility Representative
 CATRESSA ROZELL

**Signature of DHR Licensing
Representative**

08/18/2026

 Date
 8/18/26

 Date

COPIES TO: _____