

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PJ'S PRESCHOOL LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/5/2026
Facility Address: 1640 AL HWY 69 N, CULLMAN, AL 35058, Cullman	Licensee: PRISCILLA WILHITE	Telephone #: (256) 736-3209
Ages: 6 Weeks to 12 Years	Director (if applicable): PRISCILLA ANN WILHITE	Capacity: 75 NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: On August 5, 2026, there were some rusty areas on all of the metal play equipment on the preschool/school age playground.	8/14/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On August 5, 2026, Alabama Pathways was not up to date.	8/14/2026
Failed - Medical, Staff Checklist Comments: On August 5, 2026, the medical form was incomplete.	8/14/2026
Failed - Preadmission Form, Child Checklist Comments: On August 5, 2026, there was missing information on the pre-admission form.	8/14/2026
Failed - Preadmission Form, Child Checklist Comments: On August 5, 2026, there was missing information on the pre-admission form.	8/14/2026
Failed - Preadmission Form, Child Checklist Comments: On August 5, 2026, there was missing information on the pre-admission form.	8/14/2026
Failed - Preadmission Form, Child Checklist Comments: On August 5, 2026, there was missing information on the pre-admission form.	8/14/2026

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

COPIES TO: Priscilla Wilhite