

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PJ'S PRESCHOOL LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/19/2026
Facility Address: 1640 AL HWY 69 N, CULLMAN, AL 35058, Cullman	Licensee: PRISCILLA WILHITE	Telephone #: (256) 736-3209
Ages: 6 Weeks to 12 Years	Director (if applicable): PRISCILLA ANN WILHITE	Capacity: 75 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary On August 19, 2026, there was a drawer full of hazards in the toddler room., Ad Hoc Comments: NA	8/19/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

or Priscilla Wilhite
Signature of Facility Representative

08/19/26
Date

JAIME BOWMAN
Signature of DHR Licensing Representative

08/19/26
Date

COPIES TO: __Priscilla Wilhite_____