

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: JUBILEE EARLY CHILD DEV. CENTER III	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/19/2026
Facility Address: 6631 WALL STREET, MOBILE, AL 36695, Mobile	Licensee: JUBILEE EARLY CHILD DEV. CENTER, LLC	Telephone #: (251) 776-7022
Ages: 6 Weeks to 8 Years	Director (if applicable): KALSEY WEST	Capacity: 143 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: There are thorny vines on the infant, toddler and preschool/school age playgrounds.	8/19/2026
Failed - Medical, Staff Checklist Comments: A staff member's medical is incomplete on file in the center.	8/19/2026
Failed - References, Staff Checklist Comments: A staff member is missing 3 references on file in the center.	8/19/2026
Failed - Health and Safety Training, Staff Checklist Comments: A staff member's health and safety training is incomplete on file in the center.	8/19/2026
Failed - References, Staff Checklist Comments: A staff member's references are incomplete on file in the center.	8/19/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A , as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department

and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Kalsey West

8/19/2026

Signature of Facility Representative

Date

LESLIE WILLIAMS

08/19/2026

Signature of DHR Licensing Representative

Date

COPIES TO: Kalsey West